

Impact, Measurement, and Mitigation Strategies for Non-condensable in R134a and R1234yf EV Thermal Management Systems

Section II – AKG’s Measurement & Mitigation Strategies for Non-condensable in R134a and R1234yf EV/Alt.Power Thermal Management Systems

Author: Sumbal Zaman

At AKG, our engineering and R&D teams focus on designing and manufacturing advanced EV thermal management systems that are compatible with both refrigerants while minimizing NCG-related issues. By integrating rigorous testing, high-quality component selection, and innovative control strategies, we ensure reliable and efficient performance across diverse operating conditions.

Key Challenges Related to NCGs in EV Refrigeration Systems and AKGs Solutions:

Both R134a and R1234yf systems face distinct challenges due to NCGs, primarily because of their differing thermodynamic properties:

1. *Impact on System Performance:*

R134a Systems: Higher operating pressures help push trapped air and moisture out of the circuit, but excessive NCGs can elevate discharge temperatures, increasing the risk of compressor damage.

AKG’s Solution:

Selection of high-quality, variable-speed compressors that maintain efficiency even under NCG conditions, reducing excessive energy consumption and mitigating overheating risks.

R1234yf Systems: Lower operating pressures reduce compressor load and improve energy efficiency. However, this also decreases the system’s ability to expel NCGs, leading to potential heat transfer inefficiencies.

AKG’s Solution:

Optimized heat exchanger design with sufficient surface area and pressure differentials to facilitate effective heat transfer and prevent NCG buildup.

2. *Leak and Contamination Risks*

R134a Systems: The high-pressure differential between the refrigerant circuit and ambient environment helps prevent external air and moisture ingress.



AKG's Solution:

Rigorous pressure testing of all system components before refrigerant charging to detect and eliminate potential leaks.

R1234yf Systems: Lower pressures make them more susceptible to air and moisture infiltration through minor leaks in seals, joints, or valves. Moisture is particularly concerning as it can react with refrigerant to form acids, leading to component degradation or blockages from ice formation.

AKG's Solution:

Integration of liquid and vapor phase separators (receivers and accumulators) to isolate contaminants, as well as advanced seals and gaskets designed for low-pressure environments.

3. Operational Consequences

NCGs increase system pressures, causing excessive strain on components such as hoses, seals, and valves, potentially leading to refrigerant leaks.

AKG's Solution:

System modeling with tight tolerances in critical areas to minimize potential leakage points and improve refrigerant containment.

Refrigerant loss results in degraded cooling performance, higher discharge temperatures, and increased compressor workload.

AKG's Solution:

Integrated fault detection systems that continuously monitor pressure and temperature fluctuations, adjusting compressor speed to counteract high discharge pressures caused by NCGs.

Unchecked leaks contribute to refrigerant emissions, impacting environmental sustainability.

AKG's Solution:

Sensor integration at key locations to detect abnormal pressure and temperature variations indicative of NCG presence, allowing early intervention.



Additional AKG Strategies:

Advanced Controls

- Predictive Maintenance Algorithms:
 - By analyzing real-time data trends, potential refrigerant leaks and NCG buildup can be detected before they impact system performance.

System Simulations and Predictive Modeling

- Simulation Analysis:
 - The system is modeled under both normal and abnormal conditions to predict the impact of NCGs on performance metrics such as heat transfer efficiency, pressure variations, and temperature anomalies.
 - Future advancements will enable real-time sensor feedback to refine simulation models, improving predictive accuracy.

Comprehensive Performance Testing

- Full-Scale Validation:
 - Integrated temperature and pressure sensors map system behavior to correlate with simulation results, identifying potential NCG-related inefficiencies.
 - Performance testing is used to predict and account for expected refrigerant loss over time.
- Advanced Gas Analysis Techniques:
 - Technologies such as mass spectrometry, gas chromatography, and infrared sensors can detect and quantify NCG levels. These techniques are under consideration and being explored for future integration and performance validation criteria.

As the EV/Alt.Power industry advances, addressing non-condensable gas challenges is critical to optimizing energy efficiency, system reliability, and sustainability. AKG remains committed to enhancing thermal management solutions through precise component selection, advanced simulation and testing methodologies, and state-of-the-art control strategies. By continuously innovating and refining our approach, we ensure that our systems deliver long-term performance while minimizing environmental impact.

Through these efforts, we are not only improving the efficiency of EV cooling systems but also setting new standards for the future of sustainable thermal management technology.



Please reach out to Sumbal Zaman (sumbal.zaman@akg-america.com) or Vykram Vijayasekaran (vykram.vijayasekaran@akg-america.com) if you have any questions on this topic or inquiries for your applications.

akggreen@akg-group.com

